

# **AES/ECS2**

## **TECHNICAL SPECIFICATION**

### **XML (PUBLIC)**

#### **(AES\_ECS\_SXML\_EN)**

*List of changes introduced in version 2.01*

Lp.	Miejsce zmiany	Opis
1.	IEM529	<p>Adding of the new IEM529 message - notification to other Entities about release of the goods for export. The message contains selected data from the customs declaration. It is provided to the operator indicated by the Declarant in "InformacjaDodatkowa" element.</p> <p>The system verifies the data and if the rules as below are fulfilled, AES generates the IEM529 message sending it to operators other than the Declarant.</p> <p><b>1) In case of customs warehouses and temporary storage warehouses, the IEM529 message is sent to the e-mail address or via the communication channel indicated in the PDR 4003 list.</b></p> <p>Additional preconditions to be met:</p> <p>a) customs warehouse - when */Zgloszenie/Towar/ProceduraPoprzednia = 76 or</p> <p>b) re-export operation under temporary storage warehouses - when */Zgloszenie/Towar/DokumentPoprzedni/Kod = 337</p> <p>General technical rule for warehouse and temporary storage:</p> <p>IF /IE515/Zgloszenie/Towar/InformacjaDodatkowa/Kod = 'POW01' AND /IE515/Zgloszenie/Towar/InformacjiDodatkowa/@Tekst contains the e-mail address THEN IEM529 message is sent to the e-mail address, indicated in /IE515/Zgloszenie/Towar/InformacjiDodatkowa/@Tekst;</p> <p>OR</p> <p>IF /IE515/Zgloszenie/Towar/InformacjiDodatkowa/@Kod = 'POW01' AND /IE515/Zgloszenie/Towar/InformacjiDodatkowa/@Tekst indicates the IDSISC of the Entity THEN the system is verifying communication details in PDR4003 list.</p> <p>The system considers only channels where ChannelType = [2: webservice-SEAP, 3: e-mail, 4: web service-BCP], system = [AES, ALL] and element data Od / data Do is valid.</p> <p>The system firstly checks for the type of web service (typKanal = [2,4]), and if it does not find then verifies e-mail (typeKanal = 3) taking only first occurrence.</p> <p>In case of web service, System sends IEM529 to SEAP, typKanal = 2) or to BCP (typKanal = 4).</p> <p><b>2) In case of communication with the usage of the PCS platform, the IEM529 message is sent to the e-mail address or communication channel indicated in the PDR 4003 list. In this case, the AES system checks the following conditions:</b></p>

Lp.	Miejsce zmiany	Opis
		<p>a) /IE515/Zgloszenia/Kontener = 1 and  b) /IE515/Zgloszenie/UCWyprowadzenia is on the list of customs offices being container terminals, where the service is carried out using the PCS system.</p> <p>General technical rule for PCS communication:</p> <p>IF /IE515/Zgloszenie/Towar/InformacjaDodatkowa/Kod = 'PCS01'  AND in /IE515/Zgloszenia /Towar/InformacjiDodatkowa/@Tekst contains the e-mail address  THEN, an IEM529 message is send to the e-mail address indicated in /IE515/Zgloszenie/Towar/InformacjiDodatkowa/@Tekst;</p> <p>OR</p> <p>IF /IE515/Zgloszenie/Towar/InformacjiDodatkowa/@Kod = 'PCS01'  AND in / IE515/Zgloszenie/Towar/InformacjiDodatkowa/@Tekst contains the IDSISC of the Entity  THEN the system is checking communication details in PDR4003 list.</p> <p>The system considers only channels where ChannelType = [2: web service-SEAP, 3: e-mail, 4: web service-BCP], system = [AES, ALL] and element data Od / data Do is valid.  Firstly system checks the type of web service (typKanal = [2,4]), and if it does not find then verifies e-mail (typeKanal = 3) taking only first occurrence.  In case of web service, System sends IEM529 to SEAP, typKanal = 2) or to BCP when (typKanal = 4).</p>
2.	IE590	<p>Schema change of the IE590 message by adding the element /IE590/PrzekroczenieGranicy/DaneDeklaracji. It is possible to enter multiple MRN or MRX numbers.</p>
3.	RW1	<p>Change of the content of the rule RW1 due to the changes introduced in the IE590 message.</p> <p>New content of the RW1 rule:</p> <p>"In /IE590/PrzekroczenieGranicy/DaneDeklaracji only one of the data group must be presented containing either @MRN or @MRX.</p> <p>DDNXA=R863"</p>